

LAND RECLAMATION COMMISSION

STATE OF MISSOURI
P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
573-751-4041

Permit To Engage in Surface Mining

LAND RECLAMATION COMMISSION

ISSUES TO
EDWARD J. ROBINSON dba BIG CEDAR STONE


Pursuant to "The Land Reclamation Act," RSMo. 2001, and on conformity with the statements
In the application, a permit is hereby granted to engage in surface mining of
limestone in the state of Missouri. The extent of the
Proposed mining operation(s) will be on 40 acres, more or less.

The locations of the operation(s) under this permit is/are as follows: **Renewal**

County	Section	Township	Range	Acres Renewed	Acres New	Total Acres	Site/Stream Name	Site Number
Perry	02, 11	35N	09E	40	0	40	Big Cedar Stone Quarry	1995

This permit may be suspended or revoked upon violation of any or all of the conditions set
forth in "The Land Reclamation Act," RSMo. 2001, or in such rules and regulations
as are promulgated pursuant thereto by the Land Reclamation Commission.

IN WITNESS WHEREOF I have hereunto set my hand this 15th day of October 2004


DIRECTOR OF STAFF
Land Reclamation Commission

Permit No. 0907

Effective Date 10/15/2004

Expiration Date 10/06/2005

MO 780-1122 (6-95)

RECEIVED

SEP 29 2004



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
PERMIT RENEWAL FOR INDUSTRIAL MINERAL MINES

MISSOURI RECLAMATION PERMIT NO. MO 65102-0176

NAME OF CORPORATION, COMPANY, PARTNERSHIP OR INDIVIDUAL Big Cedar Stone Quarry		DATE 9/08/04	
ADDRESS 50 Robinson Industrial Drive		CITY Perryville	STATE MO
CONTACT PERSON Robin Balsmann		ZIP CODE 63775	
		TELEPHONE NUMBER 573-547-1072	
FEES: COMPLETE SECTION I OR SECTION II			
SECTION I. Fees: Open pit operators and those mining more than 5,000 tons of sand and/or gravel:			
1. To compute the site fee complete the information below:			
SITE NAME OR NUMBER (add a separate sheet for additional sites)	Mark each month that the site will be operated during the permit year	For sites operated less than six months per permit year pay \$150 For sites operated six months or more per permit year pay \$300	
1. Big Cedar Stone Quarry	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec	\$ 300.00	
2.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
3.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
4.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
5.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
6.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
7.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
8.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
9.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
10.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$	
TOTAL SITE FEE		\$ 300.00	
2. Acreage Fee \$5 X <u>40</u> number of acres bonded		\$ 200.00	
3. Annual Permit Fee		\$ 500	
4. Total Fee (Add totals from 1, 2 and 3)		\$ 1,000.00	
NOTE: If Total Fee exceeds \$2,500.00 then pay only		\$ 2,500	
SECTION II. FEES: Sand or gravel operators mining less than 5,000 tons per year:			
1. Annual Permit Fee		\$ 300	
SIGNATURE OF APPLICANT 	TITLE President	DATE 9/08/04	
Appeared before me this <u>08</u> day of <u>September</u> , 20 <u>04</u> , Edward J. Robinson to me personally known, who executed the above as their free acts and deeds.			
NOTARY PUBLIC EMBOSSEER SEAL	STATE OF Missouri	COUNTY (OR CITY OF ST. LOUIS) Perry	
	SUBSCRIBED AND SWORN BEFORE ME, THIS 8th DAY OF Sept. YEAR 2004		
	NOTARY PUBLIC SIGNATURE 	MY COMMISSION EXPIRES 7-18-08	USE RUBBER STAMP IN CLEAR AREA BELOW.
	NOTARY PUBLIC NAME (TYPED OR PRINTED) Tammy R Hottel		
FOR DEPARTMENT USE ONLY: APPROVED BY 	DATE APPROVED 10/13/04	PERMIT NUMBER 0907	EXPIRATION DATE 10/06/05



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
SITE INFORMATION FORM

RECEIVED RECEIVED

AUG 13 2002

JUL 22 2002

MISSOURI LAND
RECLAMATION COMMISSION

MISSOURI LAND
RECLAMATION COMMISSION

To be completed for each separate area of disturbance associated with mining operations.

SITE NAME OR NUMBER EDWARD J. ROBINSON d/b/a BIG CEDAR STONE		PERMIT NUMBER 0907	
COMPANY NAME EDWARD J. ROBINSON d/b/a BIG CEDAR STONE			
COUNTY PERRY	1/4 SECTION	SECTION 2 & 11	
TOWNSHIP 35N	RANGE 9E	ACRES 80	
RIVER OR STREAM NAME (FOR IN-STREAM ACRES) NA			
MINERAL COMMODITY DIMENSIONAL LIMESTONE		ESTIMATED TONS/YEAR (FOR GRAVEL SITES) 6,000	

NAME OF LANDOWNER (ATTACH LIST IF MORE THAN ONE) EDWARD J. ROBINSON		
ADDRESS 50 ROBINSON INDUSTRIAL DRIVE		
CITY PERRYVILLE	STATE MISSOURI	ZIP CODE 63775
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE):		DATE OF AGREEMENT 07/15/2002
<input checked="" type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT		

MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THAN ONE) EDWARD J. ROBINSON		
ADDRESS 50 ROBINSON INDUSTRIAL DRIVE		
CITY PERRYVILLE	STATE MO	ZIP CODE 63775
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE):		DATE OF AGREEMENT 07/15/2002
<input checked="" type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT		

NOTE: Each site must be shown on a map and be included in a public notice and an approved mine plan.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
MINE PLAN

RECEIVED

JUL 22 2002

RECEIVED

AUG 13 2002

MISSOURI LAND
RECLAMATION COMMISSION
P.O. BOX 65102
JEFFERSON CITY, MO 65102

COMPANY NAME

EDWARD J. ROBINSON d/b/a BIG CEDAR STONE

MISSOURI LAND
RECLAMATION COMMISSION

TYPE OF PLAN (CHECK ONE):

☐ SHORT TERM, FOR ONE PERMIT YEAR

☒ LONG TERM, FOR PERIOD THROUGH DATE: DEC. 01, 2020

DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PERMITTING (BY APPLICANT OR PRIOR OPERATOR), INCLUDING SOIL, VEGETATION AND TOPOGRAPHY:

THIS PLAN COVERS AN AREA OF APPROXIMATELY 80 ACRES (SEE ENCLOSED MAP). THIS SITE IS HEAVILY WOODED WITH ROCKY TERRAIN AND VERY LITTLE TOPSOIL.

OPERATION PLAN - 10 CSR 40-10.020(2)(D)1.

A. TOPSOIL

AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PERMITTING

6

INCHES

IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?

☐ YES ☒ NO

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL

TREES WILL BE CLEARED WITH DOZERS, THE TOP SIX INCHES OF SOIL WILL BE REMOVED BY DOZER. THE TOPSOIL MEASURES AN APPROXIMATE SIX INCHES IN DEPTH, AN ADDITIONAL SIX INCHES WILL BE REMOVED TO OBTAIN A TOTAL OF TWELVE INCHES OF TOPSOIL FOR REPLACEMENT.

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECTION

TOPSOIL WILL BE STOCKPILED NEAR THE PIT AREA. THIS STOCKPILE WILL BE SEEDED WITH GRASS TO PROTECT THE SOIL FROM POTENTIAL EROSION.

PERMIT NO.

0907

SITE NUMBER/NAME

Big Cedar Stone Quarry

RECEIVED

JUL 22 2002

B. SOIL

DESCRIBE METHODS AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL

MISSOURI LAND
RECLAMATION COMMISSION

OVERBURDEN REMOVED INITIALLY WILL BE PLACED AROUND THE PARAMETER OF THE PIT AREA TO CREATE NECESSARY BERMS. ONCE BERMS ARE IN PLACE ANY REMAINING OVERBURDEN WILL BE GATHERED AND GRADED (3:1) SLOPES BEFORE TOPSOIL REPLACEMENT.

RECEIVED

AUG 13 2002

MISSOURI LAND
RECLAMATION COMMISSION**C. ACID MATERIALS**

DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)

NONE

D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)

DESCRIBE LOCATION AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS

EXCAVATION WILL BEGIN AT THE NORTHEAST AREA OF SECTION 11 AS INDICATED ON THE SITE MAP AND WILL PROGRESS SOUTH EXPOSING FIVE TO SEVEN ACRES WITHIN THE FIRST YEAR AND THREE TO FIVE ACRES EACH YEAR THEREAFTER APPROXIMATELY, EVENTUALLY MINING THE ENTIRE 40 ACRES AS ALSO INDICATED ON SITE MAP.

YES NO

- | | | |
|-------------------------------------|-------------------------------------|--|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will any excavation be at or within fifty feet (50') of the right-of-way of any public road? |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?
(NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Will any excavation start at or within fifty feet (50') of any property line?
(NOTE: If the answer is "yes", a safety barrier may be needed.) |

PERMIT NO.

0907

SITE NUMBER/NAME

Big Cedar Stone Quarry

RECEIVED

JUL 22 2002

RECLAMATION PLAN - 10 CSR 40-10.020(2)(D)2.

A. REVEGETATION (Attach additional sheets, if needed)

MISSOURI LAND

REVEGETATION MIX #1

PURPOSE OR LAND USE

RECLAMATION COMMISSION PLANTING TIME

CLOVER; TIMOTHY; ORCHARD GRASS

WILDLIFE RESERVE

FALL/WINTER

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

FOLLOWING TOPSOIL REPLACEMENT MIX #1 SEED MIX WILL BE BROADCAST. AFTER GRASS HAS HAD SUFFICIENT TIME FOR GROWTH, CLOVER MIX WILL BE BROADCAST. TREES AND SHRUBS WILL BE HAND PLANTED IN ACCORDANCE WITH THE AREA BEING REVEGITATED.

AUG 13 2002

MISSOURI LAND
RECLAMATION COMMISSION

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
TIMOTHY	6 - 8	SAWTOOTH OAK GOBBLER	20
ORCHARD GRASS	10 - 12	WHITE OAK	40
CLOVER	8		

REVEGETATION MIX #2

PURPOSE OR LAND USE

B. SEEDING OR PLANTING TIME

LESPEDEZA & RED CLOVER

WILDLIFE RESERVE

EARLY SPRING

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

THE FIRST SPRING TO FOLLOW TOPSOIL REPLACEMENT AND EROSION CONTROL, THE LESPEDEZA SEED MIX WILL BE BROADCAST. REMAINING TREES AND SHRUBS WILL BE HAND PLANTED SHORTLY THEREAFTER.

RED CLOVER WILL ALSO BE BROADCAST BEFORE TREES AND SHRUBS ARE PLANTED.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
LESPEDEZA	10	RED CEDAR	200
RED CLOVER	6	GRAY DOGWOOD	150

ATTACH ADDITIONAL SHEETS FOR ADDITIONAL SEED MIXES.

PERMIT NO.

0907

SITE NUMBER/NAME

BIG CEDAR STONE QUARRY

B. GRADING

DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING SLOPES

THE AFFECTED AREA WILL BE GRADED TO A FREE DRAINING TOPOGRAPHY TRAVERSABLE BY FARM MACHINERY
(3 TO 1 SLOPE)

RECEIVED

JUL 22 2002

MISSOURI LAND
RECLAMATION COMMISSION

RECEIVED

AUG 13 2002

MISSOURI LAND
RECLAMATION COMMISSION**C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVITIES****GRADING**

GRADING WILL BE COMPLETED WITHIN TWELVE MONTHS OF THE EXPIRATION OF THIS PERMIT
IN ACCORDANCE WITH 10CSR40-10.050(10) (A)

REPLACEMENT OF TOPSOIL

TOPSOIL WILL BE REPLACED WITHIN TWELVE MONTHS OF THE EXPIRATION OF THIS PERMIT
AS REQUIRED.

REVEGETATION

SEEDING & PLANTING WILL BE COMPLETED AS SOON AFTER TOPSOIL REPLACEMENT AS POSSIBLE
TO AVOID POTENTIAL EROSION. THIS WILL BE COMPLETED NO LATER THEN TWENTY FOUR MONTHS
FROM THE EXPIRATION OF THIS PERMIT IN ACCORDANCE WITH 10CSR40-10.050(10) (B)

AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)

12 INCHES

D. USE OF LAND WHEN RECLAIMED

Estimate acreage of each land use below, after reclamation

ESTIMATED ACRES:

Wildlife (forest or other habitat with livestock excluded)

80 ACRES

Agricultural (pasture, cropland, and horticultural)

Development (residential, industrial, and recreational)

Water impoundments (for wildlife, agriculture, or development)

PERMIT NO.

0907

SITE NUMBER/NAME




Big Cedar Stone Quarry

JUL 22 2002

By my signature, I attest to the following:

MISSOURI LAND
RECLAMATION COMMISSION

1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.789, RSMo and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
3. I have obtained the approval of all landowner's for all proposed post-reclamation land uses.
4. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and his authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

SIGNATURE OF APPLICANT 		TITLE PRESIDENT	DATE 07/15/2002
NOTARY PUBLIC EMBOSSE OR BLACK INK RUBBER STAMP SEAL	STATE MISSOURI		COUNTY (OR CITY OF ST. LOUIS) PERRY
	SUBSCRIBED AND SWORN BEFORE ME, THIS 15th DAY OF July YEAR 2002		USE RUBBER STAMP IN CLEAR AREA BELOW.
	NOTARY PUBLIC SIGNATURE 	MY COMMISSION EXPIRES 7/06/06	
	NOTARY PUBLIC NAME (TYPED OR PRINTED) RONNIE L. GADBERRY		
APPROVED BY (DIRECTOR'S REPRESENTATIVE) 		DATE APPROVED 8/22/02	PERMIT NUMBER 0907

DESCRIPTION FOR MINING PERMIT

Part the Southwest quarter of the Southeast quarter of Fractional Section 2 and part of the Northwest quarter of the Northeast quarter of Section 11 Township 35 North, Range 9 East of the Fifth Principal Meridian, more particularly described as follows:

Beginning at the Southeast corner of said Northwest quarter of the Northeast quarter; thence North 89 degrees 00 minutes 18 seconds West along the South line of said Northwest quarter of the Northeast quarter for a distance of 1326.40 feet to the Southwest corner of said Northwest quarter of the Northeast quarter; thence North 00 degrees 35 minutes 03 seconds East along the West line of said Northwest quarter of the Northeast quarter; for a distance of 647.95 feet to a point; thence leaving the West line of said Northwest quarter of the Northeast quarter North 24 degrees 51 minutes 00 seconds East for a distance of 725.51 feet to a point; thence North 51 degrees 04 minutes 29 seconds East for a distance of 789.08 feet to a point; thence North 39 degrees 15 minutes 52 seconds East for a distance of 615.76 feet to a point on the East line of the Southwest quarter of the Southeast quarter; thence South 00 degrees 17 minutes 29 seconds West along the East line of said Southwest quarter of the Southeast quarter; for a distance of 960.06 feet to an iron pin at the Southeast corner of the Southwest quarter of the Southeast quarter of said Fractional Section 2; thence South 00 degrees 40 minutes 59 seconds East along the East line of said Northwest quarter of the Northeast quarter for a distance of 1341.86 feet to the point of beginning. Together with and subject to covenants, easements, reservations, and restrictions of record or now in effect. Said property contains 47.43 acres more or less.


RECEIVED

JUL 22 2002


MISSOURI LAND
RECLAMATION COMMISSION

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

MINNITH QUADRANGLE
MISSOURI
7.5 MINUTE SERIES (TOPOGRAPHIC)
SE/4 WEINGARTEN 15' QUADRANGLE
540 000 FEET
90°00' 37°52'30"



Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs
taken 1974. Field checked 1976. Map edited 1980
Projection and 10,000-foot grid ticks: Missouri coordinate
system, east zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 15
1927 North American Datum
To place on the predicted North American Datum 1983
move the projection lines 3 meters south and
9 meters east as shown by dashed corner ticks
There may be private inholdings within the boundaries of
the National or State reservations shown on this map
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked



SCALE 1:24,000
1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 1 2 3 4 5 6 7 8 9 10 KILOMETER
CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS:
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092,
AND THE DIVISION OF GEOLOGY AND LAND SURVEY,
MISSOURI DEPARTMENT OF NATURAL RESOURCES, ROLLA, MISSOURI 65401
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST




ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Light-duty road, hard or improved surface
Unimproved road
Interstate Route
U. S. Route
State Route



MINNITH, MO.
SE/4 WEINGARTEN 15' QUADRANGLE
N3745-W9000/7.5
1980
DMA 7959 1 SE-SERIES W879

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

ATLANTIC QUADRANGLE
MISSOURI-ILLINOIS
7.5-MINUTE SERIES (TOPOGRAPHIC)



Produced by the United States Geological Survey
Compiled from imagery dated 1968. Revised from imagery
dated 1993. PLSS and survey control current as of 1970
Contours and elevations current as of 1968. Map edited 1996
North American Datum of 1983 (NAD 83). Projection and
blue 1000-foot ticks: Universal Transverse Mercator, zone 16
10 000-foot ticks: Missouri (east zone) and Illinois (west zone)
Coordinate Systems of 1983
North American Datum of 1927 (NAD 27) is shown by dashed
corner ticks. The values of the shift between NAD 83 and NAD 27
for 7.5-minute intersections are obtainable from National Geodetic
Survey NADCON software



SCALE 1:24 000
CONTOUR INTERVAL 20 FEET
SUPPLEMENTARY CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND DIVISION OF GEOLOGY AND LAND SURVEY
MISSOURI DEPARTMENT OF NATURAL RESOURCES, ROLLA, MISSOURI 65401
AND ILLINOIS GEOLOGICAL SURVEY, CHAMPAIGN, ILLINOIS 61820
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3
4	5	6
7	8	


ADJOINING 7.5' QUADRANGLE NAMES

ROAD CLASSIFICATION
Primary highway
hard surface
Secondary highway
hard surface
Light-duty road, hard or
improved surface
Unimproved road
Interstate Route
U.S. Route
State Route

LITHIUM, MO-IL
37089-G8-TF-024

1993

DMA 8059 IV SW-SERIES V879




7-1-2002 1
Screen File: SE02186
Parcel No. 76-12-1-11-0-00


Big Cedar Stone Quarry

Northwest quarter of the Northeast quarter Section 11

Township 35 North, Range 9 East, Perry County, Missouri



Bader Land Surveying, Inc.
12685 Tall Pine Drive
Ste. Genevieve, MO 63670
573-483-2777
Gerald Bader MO RLS# 2544



NORTH



GRAPHIC SCALE — FEET

Scale: 1" = 300'

Edward J. Robinson DBA Big Cedar Stone
Prepared by Kelly S. Kertz 8/16/02

Post-Mining Land-Use for all 80 acres will be Wildlife

7-1-2002

File: SE02186

Screen File: SE02186A

* No public Roads are w/in 100 FT of Permit Area

Edward J. Robinson d/b/a

Big Cedar Stone Quarry

Southwest quarter of the Southeast quarter Fractional Section 2
Northwest quarter of the Northeast quarter Section 11
Township 35 North, Range 9 East, Perry County, Missouri

